

# **Safety Data Sheet**

Copyright, 2015, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	27-6058-5	Version number:	2.01
Revision date:	24/02/2015	Supersedes date:	31/03/2014
Transportation version	number: 1.00 (10/01/2012)	-	

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

# 1.1. Product identifier

3M Scotchgard Ready To Use Carpet Protector

**Product Identification Numbers** GN-0301-1984-8

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# **Identified uses**

Carpet Treatment

# 1.3. Details of the supplier of the substance or mixture

Address:3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.Telephone:+44 (0)1344 858 000E Mail:tox.uk@mmm.comWebsite:www.3M.com/uk

# 1.4. Emergency telephone number

+44 (0)1344 858 000

# **SECTION 2: Hazard identification**

# 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

#### **CLASSIFICATION:**

Skin Sensitization, Category 1A - Skin Sens. 1A; H317

For full text of H phrases, see Section 16.

#### Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive Indication of danger Sensitizing; R43

For full text of R phrases, see Section 16.

# 2.2. Label elements CLP REGULATION (EC) No 1272/2008

# SIGNAL WORD

WARNING!

**Symbols:** GHS07 (Exclamation mark) |

# Pictograms



$\sim$			
Ingredient Mixture of 5-chloro-2-methyl-2 isothiazol-3-one	2H-isothiazol-3-one and 2-methyl-2H-	CAS Nbr 55965-84-9	% by Wt <= 0.00225
HAZARD STATEMENTS: H317	May cause an allergic skin reaction.		
PRECAUTIONARY STATEM	ENTS		
<b>General:</b> P101	If medical advice is needed, have produ	ct container or label at	hand.
P102	Keep out of reach of children.		
Prevention:			
P280E	Wear protective gloves.		
Response:			
P333 + P313	If skin irritation or rash occurs: Get me	dical advice/attention.	
Disposal:			
P501	Dispose of contents/container in accord regulations.	ance with applicable lo	ocal/regional/national/international
50% of the mixture consists of cou	properts of unknown agute oral toxicity		

5% of the mixture consists of components of unknown acute oral toxicity.

# Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive



Irritant

# **Contains:**

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one

# Risk phrases

R43

May cause sensitisation by skin contact.

# Safety phrasesS23CDo not breathe vapour or spray.S24Avoid contact with skin.S37Wear suitable gloves.S51Use only in well ventilated areas.S46If swallowed, seek medical advice immediately and show this container or label.S2Keep out of the reach of children.

# 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	<b>EU Inventory</b>	% by Wt	Classification
Non-Hazardous Ingredients	Mixture		85 - 95	
1-2(-butoxypropoxy)-2-propanol	29911-28-2	EINECS 249-	0 - 5	
		951-5		
Fluoroacrylate Modified Aliphatic Urethane	Trade Secret		< 1	
Mixture of 5-chloro-2-methyl-2H-	55965-84-9		<= 0.00225	T:R23-24-25; C:R34; N:R50/53;
isothiazol-3-one and 2-methyl-2H-				R43 (EU)
isothiazol-3-one				
				Acute Tox. 3, H331; Acute Tox.
				3, H311; Acute Tox. 3, H301;
				Skin Corr. 1B, H314; Skin Sens.
				1A, H317; Aquatic Acute 1,
				H400,M=10; Aquatic Chronic 1,
				H410,M=10 (CLP)

Please see section 16 for the full text of any R phrases and H statements referred to in this section Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

# If swallowed

Rinse mouth. If you feel unwell, get medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

#### **4.3. Indication of any immediate medical attention and special treatment required** Not applicable

# **SECTION 5: Fire-fighting measures**

# 5.1. Extinguishing media

Non-combustible. Use a fire fighting agent suitable for surrounding fire.

# 5.2. Special hazards arising from the substance or mixture

Exposure to extreme heat can give rise to thermal decomposition.

# Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Hydrogen Fluoride	During combustion.
Toxic vapour, gas, particulate.	During combustion.

# **5.3.** Advice for fire-fighters

When fire fighting conditions are severe and total thermal decomposition of the product is possible, wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, tunic and trousers (leggings), bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### **6.2.** Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

# 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

#### **6.4.** Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Avoid inhalation of thermal decomposition products. For industrial or professional use only. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

# 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

# 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# **Occupational exposure limits**

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

# 8.2. Exposure controls

# 8.2.1. Engineering controls

Provide appropriate local exhaust when product is heated. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

# 8.2.2. Personal protective equipment (PPE)

# Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Safety glasses with side shields.

# Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

Material	Thickness (mm)	Breakthrough Time
Polymer laminate	No data available	No data available

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

# **Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

During heating:

Use a positive pressure supplied-air respirator if there is a potential for over exposure from an uncontrolled release, exposure levels are not known, or under any other circumstances where air-purifying respirators may not provide adequate protection.

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Appearance/Odour	Mild acrylate odour.
Odour threshold	No data available.
pH	3.5
Boiling point/boiling range	100 °C
Melting point	Not applicable.
Flammability (solid, gas)	Not applicable.
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	No flash point
Autoignition temperature	Not applicable.
Flammable Limits(LEL)	Not applicable.
Flammable Limits(UEL)	Not applicable.
Vapour pressure	2,399.8 Pa [@ 20 °C ]
Relative density	1.003 [ <i>Ref Std</i> :WATER=1]
Water solubility	Complete [Details:Dispersable]
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Evaporation rate	No data available.
Vapour density	No data available.
Vapour density	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Density	1.003 g/ml

# 9.2. Other information VOC less H2O & exempt solvents

No data available.

# **SECTION 10: Stability and reactivity**

# **10.1 Reactivity**

This material is considered to be non reactive under normal use conditions

# 10.2 Chemical stability

Stable.

# 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

# **10.4 Conditions to avoid**

None known.

# **10.5 Incompatible materials** None known.

# 10.6 Hazardous decomposition products

<u>Substance</u>

None known.

#### **Condition**

Refer to section 5.2 for hazardous decomposition products during combustion.

Extreme heat arising from situations such as misuse or equipment failure can generate hydrogen fluoride as a decomposition product.

# **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**11.1 Information on Toxicological effects** 

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

# Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

No known health effects.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Route	Species	Value
Ingestion		No data available; calculated ATE >5,000 mg/kg
Dermal	Rabbit	LD50 87 mg/kg
Inhalation-	Rat	LC50 0.33 mg/l
Dust/Mist		
(4 hours)		
Ingestion	Rat	LD50 40 mg/kg
	Ingestion Dermal Inhalation- Dust/Mist (4 hours)	Ingestion Dermal Rabbit Inhalation- Dust/Mist (4 hours)

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one	Rabbit	Corrosive
one		

#### **Serious Eye Damage/Irritation**

Name	Species	Value

Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Rabbit	Corrosive
one		

# Skin Sensitisation

Name	Species	Value
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Human	Sensitising
one	and	
	animal	

# Photosensitisation

Name	Species	Value
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-	Human	Not sensitizing
one	and	
	animal	

# **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

# Germ Cell Mutagenicity

Name	Route	Value
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one	In vivo	Not mutagenic
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one	In Vitro	Some positive data exist, but the data are not sufficient for classification

# Carcinogenicity

Name	Route	Species	Value
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-	Dermal	Mouse	Not carcinogenic
2H-isothiazol-3-one			
Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-	Ingestion	Rat	Not carcinogenic
2H-isothiazol-3-one			

# **Reproductive Toxicity**

# **Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not toxic to female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not toxic to male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one	Ingestion	Not toxic to development	Rat	NOAEL 15 mg/kg/day	during organogenesis

# Target Organ(s)

# Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Mixture of 5-chloro-2- methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

# Specific Target Organ Toxicity - repeated exposure

For the component/components, either no data is currently available or the data is not sufficient for classification.

# **Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

# 12.1. Toxicity

No product test data available.

Material	CAS Nbr	Organism	Туре	Exposure	Test endpoint	Test result
1-2(-	29911-28-2	Guppy	Experimental	96 hours	LC50	841 mg/l
butoxypropoxy						
)-2-propanol						
1-2(-	29911-28-2	Water flea	Experimental	48 hours	EC50	>1,000 mg/l
butoxypropoxy						
)-2-propanol						
Fluoroacrylate	Trade Secret		Data not			
Modified			available or			
Aliphatic			insufficient for			
Urethane			classification			
Mixture of 5-	55965-84-9	Rainbow trout	Experimental	96 hours	LC50	0.07 mg/l
chloro-2-			_			_
methyl-2H-						
isothiazol-3-						
one and 2-						
methyl-2H-						
isothiazol-3-						
one						
Mixture of 5-	55965-84-9	Water flea	Experimental	21 days	NOEC	0.172 mg/l
chloro-2-						
methyl-2H-						
isothiazol-3-						
one and 2-						
methyl-2H-						
isothiazol-3-						
one						
Mixture of 5-	55965-84-9	Green algae	Experimental	96 hours	EC50	0.062 mg/l
chloro-2-						
methyl-2H-						
isothiazol-3-						
one and 2-						
methyl-2H-						
isothiazol-3-						
one						
Mixture of 5-	55965-84-9	Water flea	Experimental	48 hours	EC50	0.18 mg/l
chloro-2-						

methyl-2H-			
isothiazol-3-			
one and 2-			
methyl-2H-			
isothiazol-3-			
one			

# 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
1-2(-	29911-28-2	Experimental	28 days	Dissolv.	91 % weight	OECD 301E - Modified
butoxypropoxy		Biodegradation		Organic		OECD Scre
)-2-propanol				Carbon Deplet		
Fluoroacrylate	Trade Secret	Data not	N/A	N/A	N/A	N/A
Modified		available or				
Aliphatic		insufficient for				
Urethane		classification				
Mixture of 5-	55965-84-9	Experimental	28 days	CO2 evolution	48 % weight	Other methods
chloro-2-		Biodegradation	-		_	
methyl-2H-		-				
isothiazol-3-						
one and 2-						
methyl-2H-						
isothiazol-3-						
one						

# **12.3 : Bioaccumulative potential**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
1-2(-	29911-28-2	Estimated		Log Kow	1.1	Estimated: Octanol-
butoxypropoxy		Bioconcentrati				water partition
)-2-propanol		on				coefficient
Fluoroacrylate	Trade Secret	Data not	N/A	N/A	N/A	N/A
Modified		available or				
Aliphatic		insufficient for				
Urethane		classification				
Mixture of 5-	55965-84-9	Estimated		Log Kow	0.5	Other methods
chloro-2-		Bioconcentrati				
methyl-2H-		on				
isothiazol-3-						
one and 2-						
methyl-2H-						
isothiazol-3-						
one						

# 12.4. Mobility in soil

Please contact manufacturer for more details

# 12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

# 12.6. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

Dispose of waste product in a permitted industrial waste facility. Combustion products will include halogen acid (HCl/HF/HBr). Facility must be capable of handling halogenated materials. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

# EU waste code (product as sold)

08 04 09\* Waste adhesives and sealants containing organic solvents or other dangerous substances

# **SECTION 14: Transportation information**

GN-0301-1984-8

Not hazardous for transportation

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Global inventory status**

Contact 3M for more information. The components of this product are in compliance with the chemical notification requirements of TSCA.

# 15.2. Chemical Safety Assessment

Not applicable

# **SECTION 16: Other information**

# List of relevant H statements

H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### List of relevant R-phrases

- R23 Toxic by inhalation.
- R24 Toxic in contact with skin.
- R25 Toxic if swallowed.

R34	Causes burns.							
R43	May cause sensitisation by skin contact.							
R50/53	Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.							
<b>Revision information</b>	1:							
Revision Changes:								
Safety phrase informa	Safety phrase information was modified.							
Section 12: Persistence	e and Degradability information information was modified.							
	lative potential information information was modified.							
Copyright information								
	ormation was modified.							
	information was modified.							
	fects - Ingestion information information was modified.							
	nary - Disposal information was added.							
	nary - Disposal - Header information was added.							
	nary - General information was added.							
	nary - General - Header information was added.							
	tion Warning information was added.							
	tion disclaimer information was added.							
	n Hazard text information was added.							
	ry Sensitization text information was added.							
	itization table - Name heading information was added.							
	itization table - Species heading information was added.							
	itization table - Value heading information was added.							
	ye Damage/Irritation table - Name heading information was added.							
	ye Damage/Irritation table - Species heading information was added.							
	ye Damage/Irritation table - Value heading information was added.							
	osion/Irritation table - Name heading information was added.							
	osion/Irritation table - Species heading information was added.							
	osion/Irritation table - Value heading information was added.							
	l Mutagenicity table - Name heading information was added.							
	1 Mutagenicity table - Route heading information was added.							
	l Mutagenicity table - Value heading information was added.							
	Carget Organ Toxicity - repeated exposure text information was added.							
	Carget Organ Toxicity - single exposure table - Name heading information was added.							
	Carget Organ Toxicity - single exposure table - Route heading information was added.							
	Carget Organ Toxicity - single exposure table - Target Organ(s) heading information was added.							
	Carget Organ Toxicity - single exposure table - Value heading information was added.							
	Carget Organ Toxicity - single exposure table - Species heading information was added.							
	Farget Organ Toxicity - single exposure table - Test Result heading information was added.							
	Farget Organ Toxicity - single exposure table - Exposure Duration heading information was added.							
	tive and/or Developmental Effects table - Name heading information was added.							
	tive and/or Developmental Effects table - Route heading information was added.							
	tive and/or Developmental Effects table - Value heading information was added.							
	tive and/or Developmental Effects table - Species heading information was added.							
	tive and/or Developmental Effects table - Test Result heading information was added.							
	tive and/or Developmental Effects text information was added.							
	enicity table - Name heading information was added.							
6	enicity table - Route heading information was added.							
	enicity table - Species heading information was added.							
	enicity table - Value heading information was added.							
	- Material heading information was added.							
	- Thickness heading information was added.							
	- Breakthrough Time heading information was added.							
	value information was added.							
Section 8: Skin protect	ction - recommended gloves information information was deleted.							

Section 11: Classification disclaimer information was deleted. Section 11: Exposure Duration table heading information was deleted. Section 11: Test Result table heading information was deleted.

Section 12: Classification Warning information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

# 3M United Kingdom MSDSs are available at www.3M.com/uk