

ALLOY WHEEL CLEANER

Page: 1

Compilation date: 01/10/2011

Revision date: 25/03/2015

Revision No: 6

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: ALLOY WHEEL CLEANER

Product code: 503

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

1.3. Details of the supplier of the safety data sheet

Company name:	Clover Chemicals Ltd
	Clover House
	Macclesfield Road
	Whaley Bridge, High Peak
	Derbyshire
	SK23 7DQ
	UK
Tel:	+44 (0) 1663 733114
Fax:	+44 (0) 1663 733115
Email:	technical@cloverchemicals.com

1.4. Emergency telephone number

Emergency tel: NHS Direct 08454647

NHS24 0845242424

ROI 018092166

(office hours only)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Skin Corr. 1A: H314

Most important adverse effects: Causes severe skin burns and eye damage.

2.2. Label elements

Label elements:

Hazard statements: H314: Causes severe skin burns and eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion

ALLOY WHEEL CLEANER



Precautionary statements:	P102: Keep out of reach of children.
	P282: Wear eye protection.
	P280: Wear protective gloves.
	P260: Do not breathe fumes.
	P301+330+331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
	P313: Get medical attention.
	P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P332+313: If skin irritation occurs: Get medical attention.
	P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P337+313: If eye irritation persists: Get medical attention.
	P362: Take off contaminated clothing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ORTHOPHOSPHORIC ACID

EINECS	CAS	PBT / WEL	CLP Classification	Percent
231-633-2	7664-38-2	-	Skin Corr. 1B: H314	10-30%
HYDROCHLOF	RIC ACID			
231-595-7	-	-	Skin Corr. 1B: H314; STOT SE 3: H335	1-10%
ISOTRIDECAN	OLETHOXYLATE,	POLYMER(8 MOLE EO AVERAGE)		
-	69011-36-5	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%

Section 4: First aid measures

4.1. Description of first aid measures		
Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash		
	immediately with plenty of soap and water.	

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. If conscious, give half a litre of water to drink immediately.

Transfer to hospital as soon as possible.

Page: 2

ALLOY WHEEL CLEANER

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Water.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes of hydrogen chloride / phosgene.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do

not handle in a confined space. Avoid the formation or spread of mists in the air.

ALLOY WHEEL CLEANER

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Polyethylene.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ORTHOPHOSPHORIC ACID...100%

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	1 mg/m3	2 mg/m3	-	-

Respirable dust

_

HYDROCHLORIC ACID...100%

UK

5 ppm ; 8mg/m3

DNEL/PNEC Values

DNEL / PNEC No data available.

1 ppm ; 2mg/m3

8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Gas/vapour filter, type E: sulphur dioxide and other acid gases (EN141).Hand protection:Protective gloves. Gloves (acid resistant).Eye protection:Safety glasses. Ensure eye bath is to hand.Skin protection:Acid-resistant protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid			
Colour:	Yellow			
Odour:	Characteristic odour			
Evaporation rate:	Moderate			
Oxidising:	Not applicable.			
Solubility in water:	Soluble			
Viscosity:	Non-viscous			
Boiling point/range°C:	100	Melting point/range°C:	0	
Flammability limits %: lower:	Not applicable.	upper:	Not applicable.	
Flash point°C:	Not applicable.	Part.coeff. n-octanol/water:	Not applicable.	
Autoflammability°C:	Not applicable.	Vapour pressure:	Not applicable.	
Relative density:	1.05 - 1.15			[cont]

Page: 4

-

ALLOY WHEEL CLEANER

Page: 5

pH: 1.2

VOC g/I: 0

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

10.4. Conditions to avoid

10.5. Incompatible materials

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ORTHOPHOSPHORIC ACID...100%

ORL	RAT	LD50	1530	mg/kg
-----	-----	------	------	-------

ISOTRIDECANOLETHOXYLATE, POLYMER(8 MOLE EO AVERAGE)

ORAL RAT L	_D50	500-2000	mg/kg
------------	------	----------	-------

Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

ALLOY WHEEL CLEANER

Delayed / immediate effects:	Immediate effects can be expected afte	ter short-term exposure.	-
Section 12: Ecological informa	tion		
12.1. Toxicity			
Hazardous ingredients:			
ISOTRIDECANOLETHOXYLA	TE,POLYMER(8 MOLE EO AVERAGE)	E)	_
FISH	96H LC50	0 1-10 mg/l	
12.2. Persistence and degradal	pility		
Persistence and degradability:	The surfactants contained in this preper	eration comply with the biodegradability criteria as laid	
	down in regulation (EC) No.648/2004 or		
12.3. Bioaccumulative potentia			
	No bioaccumulation potential.		
12.4. Mobility in soil			
-	Soluble in water.		
12.5. Results of PBT and vPvB	assessment		
PBT identification:	This product is not identified as a PBT/	/vPvB substance.	
12.6. Other adverse effects			
Section 13: Disposal considera	tions		
-			
13.1. Waste treatment methods			
	Dispose of as normal industrial waste.		
NB:		ossible existence of regional or national regulations	
	regarding disposal.		
Section 14: Transport informat	ion		
14.1. UN number			
UN number:	UN3264		
14.2. UN proper shipping name			
Shipping name:	CORROSIVE LIQUID, ACIDIC, INORG	GANIC, N.O.S.	
	(ORTHOPHOSPHORIC ACID18.%)		
14.3. Transport hazard class(es			
Transport class:			
riansport class.	0		

14.4. Packing group

Packing group: III

ALLOY WHEEL CLEANER

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by

the supplier.

Section 16: Other information

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No
	453/2010.
Phrases used in s.2 and s.3:	H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
	H318: Causes serious eye damage.
	H335: May cause respiratory irritation.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive and
	shall be used only as a guide. This company shall not be held liable for any damage resulting
	from handling or from contact with the above product.