



SAFETY DATA SHEET

BEERLINE CLEANER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name BEERLINE CLEANER
Product number A005 EV
Internal identification Janitorial - Bar & Cellar Section

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Alkaline & Chlorine based Beer pipeline Cleaner

1.3. Details of the supplier of the safety data sheet

Supplier Evans Vanodine International
Brierley Road
Walton Summit
Preston. PR5 8AH

Tel: 01772 322 200
Fax: 01772 626 000
qclab@evansvanodine.co.uk

1.4. Emergency telephone number

Emergency telephone New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri. (Also available 24/7 from our website www.evansvanodine.co.uk) Technical Advice - 8.30am to 4.45pm
- 01772 318 818 - Mon to Fri

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards

Not Classified

Health hazards

Skin Corr. 1B - H314 Eye Dam. 1 - H318

Environmental hazards

Aquatic Acute 1 - H400

Classification (67/548/EEC or 1999/45/EC)

C;R34. N;R50. R31.

2.2. Label elements

Pictogram



Signal word

Danger

Hazard statements

BEERLINE CLEANER

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P102 Keep out of reach of children.

P260 Do not breathe mist.

P501 Dispose of contents/container in accordance with local regulations.

P315 Get immediate medical advice/attention.

P235+P410 Keep cool. Protect from sunlight.

Do not mix with other products especially acidic products.

Supplemental label information

EUH031 Contact with acids liberates toxic gas.

Contains

SODIUM HYDROXIDE, SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients**3.2. Mixtures**

SODIUM HYDROXIDE		3-5%
CAS number: 1310-73-2 EC number: 215-185-5 REACH registration number: 01-2119457892-27-xxxx		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290	C;R35	
Skin Corr. 1A - H314		
SODIUM HYPOCHLORITE SOLUTION, ... % CI ACTIVE		1-3%
CAS number: 7681-52-9 EC number: 231-668-3 M factor (Acute) = 10		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Corr. 1B - H314	C;R34 R31 N;R50	
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures**4.1. Description of first aid measures****Inhalation**

Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

Ingestion

Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.

Skin contact

Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.

BEERLINE CLEANER

Eye contact

Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

Irritation of nose, throat and airway.

Ingestion

May cause chemical burns in mouth and throat.

Skin contact

Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.

Eye contact

Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards

Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.

6.2. Environmental precautions

Environmental precautions

Dangerous for the environment. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

BEERLINE CLEANER

Usage precautions

Wear protective clothing, gloves, eye and face protection.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep only in the original container in a cool, well-ventilated place. Protect from sunlight. Store away from the following materials:

Acids.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

Usage description

See Product Information Sheet & Label for detailed use of this product.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Not relevant.

Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Wear protective gloves. (Household rubber gloves.)

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination.

Respiratory protection

Respiratory protection not required.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance

Liquid.

Colour

Clear. Colourless.

Odour

Chlorine.

pH

pH (diluted solution): 12.30 @1:80

Melting point

-3°C

Initial boiling point and range

BEERLINE CLEANER

102°C @ 760 mm Hg

Flash point

Boils without flashing.

Relative density

1.120 @ 20°C

Solubility(ies)

Soluble in water.

9.2. Other information

Other information

None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Generates toxic gas in contact with acid.

10.2. Chemical stability

Stability

Inadequately vented containers may become pressurised.

10.3. Possibility of hazardous reactions

See sections 10.1, 10.4 & 10.5

10.4. Conditions to avoid

Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid

Strong acids. Aluminium, Tin, Zinc and their alloys.

10.6. Hazardous decomposition products

Toxic chlorine gas is released if product is mixed with acidic materials. When heated, vapours/gases hazardous to health may be formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects

We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

SECTION 12: Ecological Information

Ecotoxicity

Dangerous for the environment. Very toxic to aquatic life. Another potential hazard is from the alkalinity of the product.

12.1. Toxicity

We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request. Very toxic to aquatic organisms.

12.2. Persistence and degradability

Persistence and degradability

Sequestrant is readily degraded during biological effluent treatment processes.

12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

BEERLINE CLEANER

12.4. Mobility in soil

Mobility

Not known.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1719
UN No. (IMDG)	1719
UN No. (ICAO)	1719

14.2. UN proper shipping name

Proper shipping name (ADR/RID) CAUSTIC ALKALINE LIQUID, N.O.S. (sodium hydroxide solution and hypochlorite solution)

Proper shipping name (IMDG) CAUSTIC ALKALINE LIQUID, N.O.S. (sodium hydroxide solution and hypochlorite solution)

Proper shipping name (ICAO) CAUSTIC ALKALINE LIQUID, N.O.S. (sodium hydroxide solution and hypochlorite solution)

Proper shipping name (ADN) CAUSTIC ALKALINE LIQUID, N.O.S. (sodium hydroxide solution and hypochlorite solution)

14.3. Transport hazard class(es)

ADR/RID class Class 8: Corrosive substances.

ADR/RID label 8

IMDG class Class 8: Corrosive substances.

ICAO class/division Class 8: Corrosive substances.

ICAO subsidiary risk

Transport labels



14.4. Packing group

ADR/RID packing group	II
IMDG packing group	II
ICAO packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

BEERLINE CLEANER

Yes.

14.6. Special precautions for user

EmS F-A, S-B

Emergency Action Code

Hazard Identification Number
(ADR/RID)

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not relevant. for a packaged product.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU legislation**

Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under both CHIP - Directive 67/548/EEC - classification, packaging & labelling of dangerous substances & GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

Guidance

Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: Other information**Key literature references and sources for data**

Material Safety Data Sheet, Misc. manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. CHIP Class - Table 3.2 The list of harmonised classification and labelling of hazardous substances from Annex I to Directive 67/548/EEC. ECHA - C&L Inventory database.

Revision comments

This product is now using classification from GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

Revision date 20/08/2014

Revision Issue 6

SDS status The Risk Phrases / Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Risk Phrases / Hazard Statements relating to this Product see Section 2.

Risk phrases in full

R31 Contact with acids liberates toxic gas.

R34 Causes burns.

R35 Causes severe burns.

R50 Very toxic to aquatic organisms.

Hazard statements in full

BEERLINE CLEANER

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.