

# SAFETY DATA SHEET COMBI OVEN CLEANER

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name COMBI OVEN CLEANER

Product number A022 EV

Internal identification Janitorial - Catering Section

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Alkaline Liquid Detergent. for Combi Ovens

1.3. Details of the supplier of the safety data sheet

Supplier Evans Vanodine International

Brierley Road Walton Summit Preston, PR5 8AH

Tel: 01772 322 200 Fax: 01772 626 000

qclab@evansvanodine.co.uk

- 01772 318 818 - Mon to Fri

1.4. Emergency telephone number

Emergency telephone New Safety Data Sheets - 8.30am to 4.45pm - 01772 322 200 - Mon to Fri. (Also available 24/7

from our website www.evansvanodine.co.uk)

Technical Advice

- 8.30am to 4.45pm

**SECTION 2: Hazards identification** 

# 2.1. Classification of the substance or mixture

Classification

Physical hazards

Not Classified

Health hazards

Skin Corr. 1A - H314 Eye Dam. 1 - H318

**Environmental hazards** 

Not Classified

Classification (67/548/EEC or 1999/45/EC)

C;R35.

2.2. Label elements

**Pictogram** 



Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

## **COMBIOVEN CLEANER**

# **Precautionary statements**

P102 Keep out of reach of children.

P260 Do not breathe mist.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/attention.

P501 Dispose of contents/container in accordance with local regulations.

#### Contains SODIUM HYDROXIDE

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

# SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

SODIUM HYDROXIDE			10-15%
<b>CAS number:</b> 1310-73-2	<b>EC number:</b> 215-185-5	REACH registration number: 01-2119457892-27-xxxx	
Classification		Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290		C;R35	
Skin Corr. 1A - H314			

2-AMINOETHANOL			1-3%
<b>CAS number:</b> 141-43-5	<b>EC number:</b> 205-483-3	REACH registration number: 01-2119486455-28	
Classification		Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302		C;R34 Xn;R20/21/22	
Acute Tox. 4 - H312			
Acute Tox. 4 - H332			
Skin Corr. 1B - H314			
STOT SE 3 - H335			

# C10-16 ALKYL DIMETHYLAMINE OXIDE

0.1-1%

**CAS number:** 70592-80-2 **EC number:** 274-687-2

M factor (Acute) = 1

Acute Tox. 4 - H302

Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Xi;R38,R41. N;R50.

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.

# Ingestion

#### COMBLOVEN CLEANER

Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.

#### Skin contact

Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.

#### Eye contact

Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

#### Inhalation

Irritation of nose, throat and airway.

#### Ingestion

May cause chemical burns in mouth and throat.

#### Skin contact

Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.

#### Eve contact

Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

# 4.3. Indication of any immediate medical attention and special treatment needed

#### Notes for the doctor

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

### 5.2. Special hazards arising from the substance or mixture

# Specific hazards

Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.

# 5.3. Advice for firefighters

#### Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

## Personal precautions

Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.

## 6.2. Environmental precautions

## **Environmental precautions**

Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

# 6.3. Methods and material for containment and cleaning up

#### Methods for cleaning up

Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

#### 6.4. Reference to other sections

# Reference to other sections

For personal protection, see Section 8.

# **COMBI OVEN CLEANER**

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

### Usage precautions

Wear protective clothing, gloves, eye and face protection.

# 7.2. Conditions for safe storage, including any incompatibilities

# Storage precautions

Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials. & Acids.

## 7.3. Specific end use(s)

## Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

## Usage description

See Product Information Sheet & Label for detailed use of this product.

# SECTION 8: Exposure Controls/personal protection

## 8.1. Control parameters

## Occupational exposure limits

# SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m3

#### 2-AMINOETHANOL

Long-term exposure limit (8-hour TWA): WEL 1 ppm 2.5 mg/m3 Short-term exposure limit (15-minute): WEL 3 ppm 7.6 mg/m3

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

#### 8.2. Exposure controls

## Protective equipment





## Appropriate engineering controls

Not relevant.

## Eye/face protection

The following protection should be worn: Chemical splash goggles or face shield.

## Hand protection

Wear protective gloves. (Household rubber gloves.)

# Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

# Respiratory protection

Respiratory protection not required.

## **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on basic physical and chemical properties

## **Appearance**

Liquid.

## Colour

Clear. Colourless.

## **COMBIOVEN CLEANER**

#### Odour

Characteristic.

pН

pH (concentrated solution): 13.72

Flash point

Boils without flashing.

Relative density

1.118 @ 20°C

Solubility(ies)

Soluble in water.

#### 9.2. Other information

# Other information

None.

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

Reactions with the following materials may generate heat: Strong acids.

## 10.2. Chemical stability

## Stability

No particular stability concerns.

# 10.3. Possibility of hazardous reactions

See sections 10.1,10.4 & 10.5

#### 10.4. Conditions to avoid

There are no known conditions that are likely to result in a hazardous situation.

#### 10.5. Incompatible materials

# Materials to avoid

Strong acids. Aluminium, Tin, Zinc and their alloys.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# **Toxicological effects**

We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

#### Acute toxicity - oral

# Notes (oral LD50)

Based on available data the classification criteria are not met.

# ATE oral (mg/kg)

50,550.55055055

## Acute toxicity - dermal

# Notes (dermal LD50)

Based on available data the classification criteria are not met.

# ATE dermal (mg/kg)

34200.8675342

# Acute toxicity - inhalation

# **COMBIOVEN CLEANER**

#### Notes (inhalation LC50)

Based on available data the classification criteria are not met.

#### ATE inhalation (vapours mg/l)

337.00367034

# **SECTION 12: Ecological Information**

#### **Ecotoxicity**

Potentially hazardous due to the alkalinity of the product.

#### 12.1. Toxicity

We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

# 12.2. Persistence and degradability

## Persistence and degradability

Sequestrant is readily degraded during biological effluent treatment processes.

# 12.3. Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

### 12.4. Mobility in soil

# Mobility

Not known.

# 12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

# 12.6. Other adverse effects

Not known.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

# Disposal methods

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

# **SECTION 14: Transport information**

# 14.1. UN number

UN No. (ADR/RID) 1719 UN No. (IMDG) 1719 UN No. (ICAO) 1719

## 14.2. UN proper shipping name

Proper shipping name

CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution)

(ADR/RID)

Proper shipping name (IMDG) CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution)
Proper shipping name (ICAO) CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution)
Proper shipping name (ADN) CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution)

## 14.3. Transport hazard class(es)

ADR/RID class Class 8 : Corrosive Substances

ADR/RID label 8

IMDG class Class 8: Corrosive substances.

## **COMBIOVEN CLEANER**

ICAO class/division Class 8: Corrosive substances.

ICAO subsidiary risk
Transport labels



## 14.4. Packing group

ADR/RID packing group II
IMDG packing group II
ICAO packing group II

# 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

Nο.

# 14.6. Special precautions for user

EmS F-A, S-B

**Emergency Action Code** 

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (E)

## 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not relevant. for a packaged product.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# **EU** legislation

Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under both CHIP - Directive 67/548/EEC - classification, packaging & labelling of dangerous substances & GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

#### Guidance

Workplace Exposure Limits EH40.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out. No chemical safety assessment has been carried out as not applicable as this product is a mixture.

# **SECTION 16: Other information**

# Key literature references and sources for data

Material Safety Data Sheet, Misc. manufacturers. CLP Class - Table 3.1 List of harmonised classification and labeling of hazardous substances. CHIP Class - Table 3.2 The list of harmonised classification and labelling of hazardous substances from Annex I to Directive 67/548/EEC. ECHA - C&L Inventory database.

## Revision comments

This product is now using classification from GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

 Revision date
 10/10/2014

 Revision
 Issue 3

# **COMBIOVEN CLEANER**

SDS status The Risk Phrases / Hazard Statements listed below in this Section No 16 relate to the Raw

Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the

Risk Phrases / Hazard Statements relating to this Product see Section 2.

Risk phrases in full

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R34 Causes burns.

R35 Causes severe burns.

R37 Irritating to respiratory system.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R50 Very toxic to aquatic organisms.

Hazard statements in full

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.