

## SAFETY DATA SHEET

## **Deb Instant Foam Complete**

According to Regulation (EC) No 1907/2006, Annex II, as amended.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name Deb Instant Foam Complete

Product number DIS1000ML, DIS250ML, DIS47ML, DIS400ML, IFS250ML, IFS1000ML, IAF400ML, IFS47ML, 2717, IFS1LTFEN, 2719, 2720, 2718, 2719EX, FI2718, IFS1LTFSC, FI2720, 6770720, 6770730, 6770736, 6770749, DIX400ML, DIX1L, DIF1200, 2720EX, DIF1247, IFS1LTFNL, DIF12400EX, DIF610EX, dif610, IFS1LTFDE

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

PT1 Human Hygiene Biocidal Product

#### 1.3. Details of the supplier of the safety data sheet

Supplier

### Deb Ltd Denby Hall Way Denby Derbyshire DE5 8JZ Main Tel. 01773 855100 Technical Tel 01773 855105 reach@deb.co.uk

#### 1.4. Emergency telephone number

Emergency telephone	National Poisons Information Service (UK) 0344 8920111 (Health Professionals only)
	National Poisons Information Centre (Eire) 01-8092566/8379964

#### **SECTION 2: Hazards identification**

2.1. Classification	of the substance	or mixture
		•••••••••••••

Classification (EC 1272/2008)	
Physical hazards	Flam. Liq. 2 - H225
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Not Classified
2.2. Label elements	

#### Pictogram

Signal word





Danger

Hazard statements

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

Precautionary statements	<ul> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P233 Keep container tightly closed.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P404 Store in a closed container.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>
Supplemental label information	BPR001 Use biocides safely. Always read the label and product information before use.
Supplementary precautionary statements	<ul> <li>P240 Ground/ bond container and receiving equipment.</li> <li>P241 Use explosion-proof electrical equipment.</li> <li>P242 Use only non-sparking tools.</li> <li>P243 Take precautionary measures against static discharge.</li> <li>P264 Wash contaminated skin thoroughly after handling.</li> <li>P280 Wear eye protection.</li> <li>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water/ shower.</li> <li>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</li> </ul>

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/i	nformation on ingredients	
3.2. Mixtures		
ETHANOL		80.0%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01- 2119457610-43-XXXX
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
The full text for all hazard s	tatements is displayed in Section 16.	
SECTION 4: First aid meas	sures	
4.1. Description of first aid	measures	
General information	Get medical attention if any discomfort contin	nues.
Inhalation	Move affected person to fresh air and keep v	varm and at rest in a position comfortable for

	breathing.
Ingestion	Rinse mouth. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Never give anything by mouth to an unconscious person. Do not induce vomiting. Get medical attention if any discomfort continues.

Skin contact Not relevant.

Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15
	minutes. Get medical attention promptly if symptoms occur after washing.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation No specific symptoms known.

Ingestion	May cause nausea, headache, dizziness and intoxication.
Skin contact	None known.
Eye contact	May cause severe eye irritation.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations.
SECTION 5: Firefighting measurements	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with the following media: Water spray, fog or mist. Foam, carbon dioxide or dry powder. Dry chemicals, sand, dolomite etc.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	The product is highly flammable.
Hazardous combustion products	Oxides of carbon.
5.3. Advice for firefighters	
Protective actions during firefighting	Fight fire from safe distance or protected location.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precaution	<u>s</u>
Environmental precautions	Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.
6.3. Methods and material for	
	containment and cleaning up
Methods for cleaning up	Containment and cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Use explosion-proof electrical equipment. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.
Methods for cleaning up 6.4. Reference to other section	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Use explosion-proof electrical equipment. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.
	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Use explosion-proof electrical equipment. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage.
6.4. Reference to other section	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Use explosion-proof electrical equipment. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage. <b>ns</b> For personal protection, see Section 8.
6.4. Reference to other section Reference to other sections	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Use explosion-proof electrical equipment. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage. <b>ns</b> For personal protection, see Section 8. <b>rage</b>
6.4. Reference to other section Reference to other sections SECTION 7: Handling and sto	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Use explosion-proof electrical equipment. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage. <b>ns</b> For personal protection, see Section 8. <b>rage</b>
6.4. Reference to other section Reference to other sections SECTION 7: Handling and sto 7.1. Precautions for safe hand	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Use explosion-proof electrical equipment. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers. Wash thoroughly after dealing with a spillage. <b>ns</b> For personal protection, see Section 8. <b>trage</b> Iling Keep away from heat, sparks and open flame. Avoid contact with eyes. Good general

Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Store at temperatures not exceeding 40°C. Take precautionary measures against static discharges.
Storage class	Flammable liquid storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Control	s/personal protection
8.1. Control parameters Occupational exposure limits ETHANOL	
Long-term exposure limit (8-ho WEL = Workplace Exposure Li	ur TWA): WEL 1000 ppm  1920 mg/m³ mit
Ingredient comments	WEL = Workplace Exposure Limits
	ETHANOL (CAS: 64-17-5)
DNEL	Professional - Inhalation; local effects: 1900 mg/m <sup>3</sup> Professional - Dermal; Long term systemic effects: 343 mg/kg/day Professional - Inhalation; Long term systemic effects: 950 mg/m <sup>3</sup> Consumer - Inhalation; local effects: 950 mg/m <sup>3</sup> Consumer - Dermal; Long term systemic effects: 206 mg/kg/day Consumer - Inhalation; Long term systemic effects: 114 mg/m <sup>3</sup> Consumer - Oral; Long term systemic effects: 87 mg/kg/day
PNEC	<ul> <li>Marine water; 0.79 mg/l</li> <li>Fresh water; 0.96 mg/l</li> <li>Intermittent release; 2.75 mg/l</li> <li>STP; 580 mg/l</li> <li>Sediment (Freshwater); 3.46 mg/kg</li> <li>Sediment (Marinewater); 2.9 mg/l</li> <li>Soil; 0.63 mg/kg</li> </ul> COCOGLUCOSIDE (CAS: 68515-73-1)
DNEL	Workers - Inhalation; Long term systemic effects: 420 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 595000 mg/kg/day General population - Inhalation; Long term systemic effects: 124 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 357000 mg/kg/day General population - Oral; Long term systemic effects: 35.7 mg/kg/day
PNEC 8.2. Exposure controls	<ul> <li>Fresh water; 0.176 mg/l</li> <li>Marine water; 0.0176 mg/l</li> <li>Intermittent release; 0.27 mg/l</li> <li>STP; 560 mg/l</li> <li>Sediment (Freshwater); 1.516 mg/kg</li> <li>Sediment (Marinewater); 0.152 mg/kg</li> <li>Soil; 0.654 mg/kg</li> </ul>

### Protective equipment

$\overline{}$

Appropriate engineering controls	Not relevant.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	Not applicable.
Other skin and body protection	Not relevant.
Hygiene measures	Do not smoke in work area. Promptly remove any clothing that becomes contaminated.
Respiratory protection	Not relevant.

## **SECTION 9: Physical and Chemical Properties**

### 9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Colourless.
Odour	Alcoholic.
Odour threshold	Not determined.
рН	pH (concentrated solution): 5.0-7.5
Melting point	Not determined.
Initial boiling point and range	Not determined.
Flash point	15.5 C°C A.9
Evaporation rate	Not determined.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	~ 0.844 @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not determined.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	2.67 mPa s @ 20°C
Explosive properties	Not determined.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	

Other information	No information required.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	No particular stability concerns.	
10.3. Possibility of hazardous r	eactions	
Possibility of hazardous reactions	Not known.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition	n products	
Hazardous decomposition products	Oxides of carbon.	
SECTION 11: Toxicological info	ormation	
11.1. Information on toxicologic	cal effects	
Acute toxicity - oral Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal Notes (dermal LD₅o)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Notes (inhalation LC <sub>50</sub> )	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.	
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Genotoxicity - in vivo	Does not contain any substances known to be mutagenic.	
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.	
Reproductive toxicity Reproductive toxicity - development	Does not contain any substances known to be toxic to reproduction.	
Specific target organ toxicity - s	single exposure	

STOT - single exposure	No information available.			
Specific target organ toxicity - repeated exposure				
STOT - repeated exposure	No information available.			
Aspiration hazard				
Aspiration hazard	Based on available data the classification criteria are not met.			
General information	No specific health hazards known.			
Inhalation	No specific health hazards known.			
Ingestion	May cause nausea, headache, dizziness and intoxication.			
Skin contact	Skin irritation should not occur when used as recommended.			
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.			

### ETHANOL

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	10,470.0
Species	Rat
ATE oral (mg/kg)	10,470.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	20,000.0
Species	Rabbit
Acute toxicity - inhalation	
Acute toxicity inhalation (LC∞ vapours mg/l)	117.0
Species	Rat
ATE inhalation (vapours mg/l)	117.0
Skin corrosion/irritation	
Animal data	Oedema score: Very slight oedema - barely perceptible (1).
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
SECTION 12: Ecological Information	

## Ecotoxicity

The product is not expected to be hazardous to the environment.

12.1. Toxicity

Toxicity

The product is not expected to be toxic to aquatic organisms.

### ETHANOL

Acute toxicity - fis	sh	LC50, 96 hours: 15300 mg/l, Pimephales promelas (Fat-head Minnow) LC₅₀, 96 hours: mg/l, Algae		
Acute toxicity - ad invertebrates	quatic	EC <sub>50</sub> , 48 hours: mg/l, Daphnia magna EC <sub>50</sub> , : 858 24H mg/l, Marinewater invertebrates EC <sub>50</sub> , > 48 hours: 10000 mg/l, Daphnia magna		
Acute toxicity - ac plants	quatic	EC₅₀, 72 hours: 275 mg/l, Freshwater algae IC₅₀, 72 hours: 5000 mg/l, Fish		
12.2. Persistence and degrada	ability			
Persistence and degradability The product is expected to be biodegradable.				
12.3. Bioaccumulative potential				
Bioaccumulative potential	No data	available on bioaccumulation.		
Partition coefficient	Not dete	rmined.		
12.4. Mobility in soil				
Mobility	The prod	luct is soluble in water.		
12.5. Results of PBT and vPvB assessment				
Results of PBT and vPvB assessment	This proc	duct does not contain any substances classified as PBT or vPvB.		
12.6. Other adverse effects				
Other adverse effects	None kno	own.		
SECTION 13: Disposal considerations				
13.1. Waste treatment method	ls			
General information	-	of waste to licensed waste disposal site in accordance with the requirements of the ste Disposal Authority.		
Disposal methods		r recycle products wherever possible. Dispose of waste to licensed waste disposal cordance with the requirements of the local Waste Disposal Authority.		
SECTION 14: Transport inform	nation			
14.1. UN number				
UN No. (ADR/RID)	1170			
UN No. (IMDG)	1170			
UN No. (ICAO)	1170			
UN No. (ADN)	1170			
14.2. UN proper shipping nam	е			
Proper shipping name (ADR/RID)	ETHANC	DL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
Proper shipping name (IMDG)	ETHANC	DL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
Proper shipping name (ICAO)	ETHANC	DL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
Proper shipping name (ADN)	ETHANC	DL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)		
14.3. Transport hazard class(e	es)			

ADR/RID class	
ADR/RID classification code	F1
ADR/RID label	3
IMDG class	3
ICAO class/division	3
ADN class	3
Transport labels	



### 14.4. Packing group

ADR/RID packing group	П
IMDG packing group	П
ADN packing group	П
ICAO packing group	П

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user		
EmS F-	-E, S-D	
ADR transport category 2		
Emergency Action Code •2	2YE	
Hazard Identification Number 33 (ADR/RID)	3	
Tunnel restriction code (D	D/E)	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
SECTION 15: Regulatory information		

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
Chemicals (REACH) (as amended).
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.
Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended).
REGULATION (EU) No 528/2012 (as amended) concerning the making available on the market and use of biocidal products.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information **General information** Use biocides safely. Always read the label and product information before use. Key literature references and Where Exposure Scenarios for the substances listed in Section 3 are available they have sources for data been assessed for the uses identified in this data sheet or on the product label and the appropriate relevant information is incorporated into this Safety Data Sheet. **Revision comments** This is first issue. 10/04/2017 **Revision date** Revision 16 Supersedes date 16/03/2017 SDS number 20973 Hazard statements in full H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. Notes for Hazard Statements The full text for Hazard Statements in section 16 relates to the reference numbers in sections in Full 2 and 3 and not necessarily the finished product classification.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.